MARKED UP VERSION OF CLAIMS

1. (Currently Amended) A low friction fabric comprising a first layer of woven material with an upper and lower woven surface attached comprising at least two different types of yarn to a second layer of woven material of the same weave, said second layer having an upper and lower woven surface comprising at least two different types of yarn, said fabric layers being in contact with said lower surface of said first layer having a weave of a first orientation contacting the entire said upper surface of said second layer, said second layer having a weave with a second orientation octagonal orthogonal to the orientation of the weave of said first layer to reduce the coefficient of friction between the layers.

- 2. (Canceled)
- 3. (Canceled)
- 4. (Previously Presented) The low friction fabric of claim 1 wherein said fabric is constructed as a sock.
- 5. (Previously Presented) A low friction fabric using two different types of yarn to achieve a smooth side and a rough side comprising a first layer of woven polyester fibers with an upper and lower woven surface attached to and adjacent a second layer of the same weave of woven polyester fibers, said second layer having an upper and lower surface, each of said woven layers comprising a weave with a straight yarn in the warp of the weave pattern and a low twist yarn in the weft of the weave

pattern, said lower surface of said first layer being in contact with the said upper surface of sai
second layer with the west yarn of said layers oriented at a 90 degree angle to one another.
6. (Canceled)
7. (Previously Presented) The low friction fabric of claim 5 wherein said fabric is constructed as
sock.
8. (New) The low friction fabric of claim 1 wherein said fabric is a bandage.
9. (New) The low friction fabric of claim 5 wherein said fabric is a bandage.
10. (New) The low friction fabric of claim 1 wherein said fabric is constructed as a shoe insert.
11. (New) The low friction fabric of claim 5 wherein said fabric is constructed as a shoe insert.
12 (New) A low friction fabric as claimed in claim 5 wherein said waves fabric is an arm for
12. (New) A low friction fabric as claimed in claim 5 wherein said woven fabric is an over four under one weave.
middl one weave.
13. (New) A low friction fabric as claimed in claim 1 wherein said woven fabric is an over four
under one weave.

- 14. (New) A low friction fabric comprising a first layer of woven polyester fibers having an over four under one weave with an upper and lower surface attached to a second layer of woven polyester fibers having an over four under one weave with an upper and lower surface, each of said layers comprising a straight yarn in the warp of the weave pattern and a low twist yarn in the weft of the weave pattern, said lower surface of said first layer being in contact with said upper surface of said second layer with the weft yarn of said layers being oriented at a 90 degree angle to each another.
- 15. (New) The low friction fabric of claim 14 wherein the fabric is constructed as a sock.
- 16. (New) The low friction fabric of claim 14 wherein said fabric is as a bandage.
- 17. (Currently Amended) A low friction fabric comprising a first layer of woven material with an upper and lower woven surface attached to a second layer of woven material of the same weave, said second layer having an upper and lower woven surface, said fabric layers being in contact with said lower surface of said first layer having a weave of a first orientation contacting the entire said upper surface of said second layer, said second layer having a weave with a second orientation octagonal orthogonal to the weave of said first layer to reduce the coefficient of friction between the layers, said fabric is constructed as a shoe insert.

REMARKS

Claims 1 and 17 have been amended to correct a typographical error in which the word

"orthogonal" incorrectly appeared as "octagonal". The specification clearly states the description

as "orthogonal" and "octagonal" never appears.

Under Rule 714.16 of the Manual of Patent Examining Procedure, 37 CFR 1.312, an

amendment correcting a typographical error may be made without withdrawing the application from

issue. According to the Rule, the Examiner has the authority to enter such amendments as it does

not change the scope thereof and is merely a correction of a typographical error to claim 16.

If any charges are required, please charge Deposit Account Number 07-1340.

It is respectfully requested that the amendment be entered prior to issuance.

Respectfully submitted,

GIPPLE & HALE

John/S. Ha

Registration No. 25,209

6665-A Old Dominion Drive McLean, Virginia 22101 (703) 448-1770 ext. 304

Attorney Reference: X-9475